

INDUCTION HOBS






- High quality stainless steel #304, hairline finish body construction with solid top 1.5mm thickness.
- Powerful performance, high energy efficiency & quiet operation
- User and environmental friendly & easy for cleaning and no intensive maintenance required.
- High-grade ceramic glass for heavy duty performance and durability.
- Patented coper coil for powerful and uniform heat for better cooking.
- Empty pan detection auto shut-off.
- Over/under voltage/current protection
- Over heat and dry burning protection
- Soft start technology, automatic alarm device for safety operation.
- Waterproof display, anti-oil, water and, insect erosion design
- Ultra-long life magnetic sensor switch and PCB board for precise performance.
- IPX4 protection level with multiple protection




CONSTRUCTION & FEATURES

SERIES 750MM				
	Model	TIW-S75H2	TIW-S75H4	TIW-S75H4O
	Dimension (mm)	400 x 750 x 850H	800 x 750 x 850H	800 x 750 x 850H
	Power (kW)	2 x 3.5kW	2 x 3.5kW+2 x 5kW	2x3.5kW+2x5kW+6kW Oven
	Glass Hob (mm)	300 x 300	300 x 300	300 x 300
Voltage	380V/50Hz,3P	380V/50Hz,3P	380V/50Hz,3P	
SERIES 750MM				
	Model	TIW-S75H6	TIW-S75H6O	
	Dimension (mm)	1200 x 750 x 850H	1200 x 750 x 850H	
	Power (kW)	4 x 3.5kW+2 x 5kW	4x3.5kW+2x5kW+6kW Oven	
	Glass Hob (mm)	300 x 300	300 x 300	
Voltage	380V/50Hz,3P	380V/50Hz,3P		

SPECIFICATIONS

SERIES 900MM			
Model	TIW-S90H2	TIW-S90H4	TIW-S90H4O
Dimension (mm)	400 x 900 x 850H	800 x 900 x 850H	800 x 900 x 850H
Power (kW)	2 x 3.5kW	2 x 3.5kW+2 x 5kW	2x3.5kW+2x5kW+6kW Oven
Glass Hob (mm)	300 x 300	300 x 300	300 x 300
Voltage	380V/50Hz,3P	380V/50Hz,3P	380V/50Hz,3P
SERIES 900MM			
Model	TIW-S90H6		TIW-S90H6O
Dimension (mm)	1200 x 900 x 850H		1200 x 900 x 850H
Power (kW)	4 x 3.5kW+2 x 5kW		4x3.5kW+2x5kW+6kW Oven
Glass Hob (mm)	300 x 300		300 x 300
Voltage	380V/50Hz,3P		380V/50Hz,3P

SPECIFICATIONS



SAFE



HIGH TEMPERATURE


















CLEAN



ENERGY EFFICIENCY

HIGHLIGHTS

Induction Western Ranges




TECHNICAL DRAWINGS



m: +65-9038-0875
 e: sales@trutek.sg
 w: www.trutek.sg

TRUTEK PTE. LTD
 470 North Bridge Road, #5-12 Bugis Cube,
 Singapore (188735)

Induction Western Ranges



TECHNICAL DRAWINGS



m: +65-9038-0875
 e: sales@trutek.sg
 w: www.trutek.sg

TRUTEK PTE. LTD
 470 North Bridge Road, #5-12 Bugis Cube,
 Singapore (188735)