

TRUCHILL – FLAKE ICE MACHINES

- Stainless steel and food grade ABS body construction for durability and anti-corrosion.
- Storage bin Interior with radius corners for hygiene and ease of cleaning.
- Precision injection with high density polyurethane insulation. Provides excellent thermal efficiency with low GWP and zero ODP.
- Tropicalised condensing unit. Guaranteed operation up to +43°C ambient.
- Fast cooling technology with efficient cooled system to increase 15% higher capacity than other similar machines.
- Slide-in air filter for easy cleaning.
- Advanced noise reduction technology reduces more than 15% vs similar machines.
- HACCP compliant automatic smart electronic control panel for excellent performance.



CONSTRUCTION & FEATURES

		
Model:	AF-200	AF-400
Ice Making Capacity:	200kg/24h	400kg/24h
Ice Storage:	160kg	250kg
Ice Type	Ice Flake	Ice Flake
Ice Size	5 x 8mm	5 x 8mm
Power Consumption (W)	1000W	1300W
Refrigerant	R404a	R404a
Voltage	220V/1Ph/50Hz	220V/1Ph/50Hz
Water Inlet	Ø26	Ø26
Condensate Drainage	Ø26	Ø26
Dimension (mm)	560 x 860 x 1805mmH	760 x 860 x 1805mmH


SPECIFICATIONS

TRUTEC PTE. LTD

470 North Bridge Road, #5-12 Bugis Cube, Singapore (188735)
 m: +65-8347-0768 - e: sales@trutec.sg - w: www.trutec.sg

			
Model:	AF-500	AF-650	AF-1000
Ice Making Capacity:	500kg/24h	650kg/24h	1000kg/24h
Ice Storage:	250kg	250kg	400kg
Ice Type	Ice Flake	Ice Flake	Ice Flake
Ice Size	5 x 8mm	5 x 8mm	5 x 8mm
Power Consumption (W)	1580W	1780W	2500W
Refrigerant	R404a	R404a	R404a
Voltage	220V/1Ph/50Hz	220V/1Ph/50Hz	220V/1Ph/50Hz
Water Inlet	Ø26	Ø26	Ø26
Condensate Drainage	Ø26	Ø26	Ø26
Dimension (mm)	760 x 860 x 1925mmH	760 x 860 x 2075mmH	1220 x 860 x 1905mmH







SPECIFICATIONS



TECHNICAL DRAWINGS

TRUTECH PTE. LTD

470 North Bridge Road, #5-12 Bugis Cube, Singapore (188735)
 m: +65-8347-0768 - e: sales@trutech.sg - w: www.trutech.sg



TRUTECH PTE. LTD

470 North Bridge Road, #5-12 Bugis Cube, Singapore (188735)
 m: +65-8347-0768 - e: sales@trutech.sg - w: www.trutech.sg